

---

## SAFETY DATA SHEET

---

### 1 Identification of the substance or preparation and the supplier

Product Name: **DIESELITE**  
 Datasheet Number: 571224 2.0.0  
 Use of the substance/preparation: Fuel treatment, Combustion improver, Post combustion treatment  
 Product Part Number: 571224 (25 liter)

Name of Supplier: Unitor ASA  
 Address of Supplier: Willem Barentszstraat 50  
 3165 AB Rotterdam-Albrandswaard  
 The Netherlands

Telephone: +31 10 4877 777  
 Fax: +31 10 4877 888  
 Responsible Person: Leen de Visser, Corporate Product Safety Manager, Tel.: +31 6 538 63736

Name of Manufacturer: UNITOR CHEMICALS AS  
 Address of Manufacturer: P.O.Box 15  
 3141 Kjølmannskjær  
 Norway.  
 Telephone: +47 333 515 00

Emergency Telephone: NCEC: +44 1865 407333  
 CHEMTREC (800) 424 9300  
 CMA +1 703 527 3887  
 Greece +30 1 7793777

---

### 2 Composition/information on ingredients

Chemical Name	Concentration	CAS Number	EC Number	R Phrases	Symbols
Naphtha, low boiling, hydrogen treated	10-30	64742-82-1	265-185-4	65, 66	Xn
Kerosine, unspecified	30-60	64742-94-5	265-198-5	51/53, 65, 66	Xn, N
Fuel, diesel	5-10	68334-30-5	269-822-7	40	Xn
Octamethylcyclotetra siloxane	1-5	556-67-2	209-136-7	53, 62	Xn

---

### 3 Hazards identification

- Odour: Smells of hydrocarbon
  - Appearance: Liquid, dark, brown, insoluble in water
  - Contact with eyes: Causes redness and irritation
  - Contact with skin: Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis
  - Inhalation: In cases of severe exposure, anaesthesia may develop, May cause chronic pneumonitis
  - Ingestion: Harmful: may cause lung damage if swallowed (R65)
  - Limited evidence of carcinogenic effect (R40)
  - May cause long term adverse effects in the aquatic environment (R53)
-

---

### 3 Hazards identification (....)



Harmful



Dangerous for the Environment

---

### 4 First aid measures

#### Contact with skin

- Remove contaminated clothing immediately and drench affected skin with plenty of water
- Contaminated clothing should be laundered before reuse
- Seek medical attention if irritation persists

#### Contact with eyes

- If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes
- Irrigate eyes thoroughly whilst lifting eyelids
- When in doubt or symptoms persist, seek medical attention

#### Ingestion

- Do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention
- If vomiting occurs turn patient on side
- Obtain immediate medical attention

#### Inhalation

- Remove patient to fresh air
- Seek medical attention if ill effects occur

#### General

- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45)

---

### 5 Fire-fighting measures

- Auto-ignition point 230 deg C at 760 mm Hg
- Flash point 85 deg C (CC)
- Decomposition products may include carbon oxides
- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide (S43)
- Do not use water jets
- Prevent run off water from entering drains if possible
- Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback

---

### 6 Accidental release measures

#### Personal Precautions

- Wear protective clothing as per section 8

#### Environmental Precautions

- Do not allow to enter public sewers and watercourses

---

## 6 Accidental release measures (...)

### Immediate Actions

- Contain spillage by any means possible

### Clean Up Actions

- Absorb spillage in inert material and shovel up
- Ventilate the area and wash spill site after material pick-up is complete

### Special Precautions

- Do not allow to enter public sewers and watercourses
- Wear protective clothing as per section 8

---

## 7 Handling and storage

### Handling

- Avoid contact with skin and eyes (S24/25)
- Eyewash bottles should be available
- See Section 8

### Storage

- Keep only in the original container in a cool, well ventilated place (S3/9/49)
- Keep container tightly closed (S7)
- Keep away from open flames, hot surfaces and sources of ignition.

---

## 8 Exposure controls and personal protection

### Exposure Limits

- TLV (TWA) 275 mg/m<sup>3</sup> (Naphtha, low boiling, hydrogen treated)
- TLV (TWA) 10 ppm (Octamethylcyclotetra siloxane)

### Exposure controls

- No special ventilation is required unless the product is used in a spray form
- The undiluted product must not be used in a confined space without good ventilation

### Occupational exposure controls

- No respiratory protection is required unless subject to contact with substance mist
- During fumigation/spraying wear suitable respiratory equipment (S42)
- Wear suitable protective clothing, including eye/face protection and gloves (neoprene or nitrile are recommended)



## 9 Physical and chemical properties

- Odour: Smells of hydrocarbon
- Appearance: Liquid, dark, brown, insoluble in water
- pH - not applicable
- Boiling point 185 °C to 210 °C at 760 mm /Hg
- Vapour density (air = 1) >1
- Melting point - not known
- Insoluble in water
- Specific gravity (water=1) 0.88
- Flash point 85 deg C (CC)
- Auto-ignition point 230 deg C at 760 mm Hg
- Lower explosive limit 0.6 % (in air)

Upper explosive limit 6 % (in air)

---

## 10 Stability and reactivity

- This article is considered stable under normal conditions
  - Keep away from naked flames, incandescent or hot surfaces
  - See Section 5
- 

## 11 Toxicological information

### Toxicological information

- Preparations with concentrations of over 5 % Octamethylcyclotetrasiloxane requires labelling with the sentence:
- Possible risk of impaired fertility (R62)

### Inhalation

- Inhalation of solvent vapours may give rise to nausea, headaches and dizziness

### Contact with skin

- Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis

### Contact with eyes

- May cause redness and irritation

### Ingestion

- Aspiration hazard
- The ingestion of significant quantities may cause damage to lungs

### Carcinogenicity

- Limited evidence of carcinogenic effect (R40)
- 

## 12 Ecological information

### Ecotoxicity

- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R51/53)

### Mobility

- Insoluble in water

### Persistence and Biodegradability

- Most components in this product are not readily biodegradable.
-

## 12 Ecological information (...)

### Bioaccumulation Potential

- Hydrocarbon solvents have the potential to bioaccumulate.

### Other Adverse Effects

- No environmental problems are expected when the product is used / handled correctly.

In its intended use, the product will not be released into the environment.

## 13 Disposal considerations

### Classification

- EU Waste class: 07.01
- This material and/or its container must be disposed of as hazardous waste

### Disposal considerations

- Do not discharge into drains or the environment, dispose to an authorised waste collection point
- Disposal should be in accordance with local, state or national legislation

## 14 Transport information



Dangerous Substance



Marine Pollutant

### UN

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (Alkyl (C3-C8) Benzenes)  
UN No.: 3082

Hazard Class: 9 Packing Group: III

### Road/Rail (ADR/RID)

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (Alkyl (C3-C8) Benzenes)  
ADR UN No.: 3082

ADR Hazard Class: 9 Tremcard: 90GM6-III

### Sea (IMDG)

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (Alkyl (C3-C8) Benzenes)  
IMDG UN No.: 3082

IMDG Hazard Class.: 9 IMDG Pack Group.: III

IMDG EmS: F-A, S-F IMDG subrisk: -

IMDG labels: 9 + Marine Pollutant IMDG Flashpoint: 85 °C

## 14 Transport information (....)

### Air (ICAO/IATA)

Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s. (Alkyl (C3-C8) Benzenes)		
ICAO Un No.:	3082		
ICAO Hazard Class.:	9	ICAO Packing Group.:	III
ICAO subrisk:	-	ICAO Labels:	9
ICAO Flashpoint:	85 °C		

### DOT / CFR (US Department of Transportation)

DOT Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s. (Alkyl (C3-C8) Benzenes)		
Hazardous Material:	Alkyl (C3-C8) Benzenes		
Hazard Class:	9	Identification Number:	UN 3082
Product RQ (lbs):	Not Established	DOT subrisk:	-
DOT labels:	9 + Marine Pollutant	DOT Flashpoint:	85 °C

- Packing group III
- Marine pollutant

## 15 Regulatory information



Harmful



Dangerous for the Environment

### Risk Phrases

- Limited evidence of carcinogenic effect (R40)
- Harmful: may cause lung damage if swallowed (R65)
- Repeated exposure may cause skin dryness or cracking (R66)
- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R51/53)

### Safety Phrases

- Do not breathe spray/mists (S23)
- Avoid contact with skin and eyes (S24/25)
- Wear suitable protective clothing, eye/face protection and gloves (S36/37/39)
- This material and its container must be disposed of as hazardous waste (S60)
- Avoid release to the environment. Refer to special instructions/Safety data sheets (S61)
- If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label (S62)

---

## 16 Other information

(R40: Limited evidence of carcinogenic effect. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R53: May cause long term adverse effects in the aquatic environment. R62: Possible risk of impaired fertility. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking.)

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC)

This Safety Data Sheet is provided in compliance with The Dangerous Preparations Directive (88/379/EEC)

This Safety Data Sheet is provided in compliance with The Safety Data Sheets Directive (2001/58EC)