FORM 2.06.01

CARGO INFORMATION SCHEME

Chemical name	Palm stearine fractionate	Last update	07/29/97
Common names		UN number	
Chemical formular		MFAG number	
Chemical family		MARPOL Annex	II
Colour	Light brown to clear	Annex ll pollution cat.	D
Odour	Sweet	IMO Ships type	3
Own reaction		Density @ 15°c	0,8777/60
Reaction with water		Correction factor/°c	
Reaction other		Petrolum tables used	
Solubility with water		Melting point °c	59
Compatibility number	34	Boiling point °c	
Separate from no. (USCG)		Flash point °c	
Type of toxic test tubes		Auto-ignition point °c	
Toxicity in case of fire		Viscosity	
Fire extinguishing agent		Odour limit ppm	
Special fire procedure		Explos. limits Vol %	
Spill or leak procedure		Vapour press kPa/20	
		Vapour dens.rel to air	
SAFETY AND FIRST AID INFORMATION			
Main hazard		Health risk	
Symptoms if exposed		TLV ppm	
Personal protection aid		Is it a cancer agent	
		Is antidote available	
First aid			
Eye contact			
Skin contact			
Inhalation			
Ingestion			
CARGO HANDLING			
Coating requirements		Voyage temp. °c	65
Wall wash tests		Discharge temp. °c	70
Previous cargo(es)		Preheating of tanks	Yes
Fresh water flush		Cirkulation on voyage	
Demiwater flush		Inhibitor certificate	
Condition prior to loading	Clean and dry	Sweeping after disch.	Yes
Remarks		Heat adjacent	
Remarks	Recommended temperature during transport is 65 deg. During discharge 70 deg. is at the low end, but heating		

	instruction must be followed.		
TANKCLEANING - after discharge			
Prewash (not marpol)			
Ordinary bw wash	Yes, max temperature		
Recirculation			
Steaming			
Removal of rob			
Hand hosing/high press			
Chemicals for washing			
SPECIAL INSTRUCTIONS			