

CARGO INFORMATION SCHEME			
Chemical name	Gasoil	Last update	04/22/99
Common names		UN number	1202
Chemical formular		MFAG number	311
Chemical family	Misc. hydrocarbon mixture	MARPOL Annex	I
Colour		Annex II pollution cat.	
Odour	Petro	IMO Ships type	
Own reaction	Stable	Density @ 15°C	0.8500
Reaction with water		Correction factor/°C	
Reaction other		Petroleum tables used	Yes
Solubility with water	Insoluble	Melting point °C	-29
Compatibility number	33	Boiling point °C	232-425
Separate from no. (USCG)	3	Flash point °C	>61
Type of toxic test tubes		Auto-ignition point °C	260
Toxicity in case of fire		Viscosity	
Fire extinguishing agent	CO2, powder, foam, waterfog	Odour limit ppm	
Special fire procedure		Explos. limits Vol %	1,3-6,0
Spill or leak procedure	Absorb the spill	Vapour press kPa/20	
		Vapour dens.rel to air	
SAFETY AND FIRST AID INFORMATION			
Main hazard	Inhalation	Health risk	Low
Symptoms if exposed		TLV ppm	
Personal protection aid	Eye protection, gloves	Is it a cancer agent	
		Is antidote available	
First aid			
Eye contact	Rinse with water		
Skin contact	Wash with soap and water		
Inhalation	Poisonous vapours. Remove victim to fresh air - artificial respiration if necessary		
Ingestion	Give milk to drink		
CARGO HANDLING			
Coating requirements		Voyage temp. °C	
Wall wash tests		Discharge temp. °C	
Previous cargo(es)		Preheating of tanks	
Fresh water flush		Cirkulation on voyage	
Demiwater flush		Inhibitor certificate	
Condition prior to loading	Clean and dry	Sweeping after disch.	
Remarks		Heat adjacent	
Remarks			

TANKCLEANING - after discharge	
Prewash (not marpol)	
Ordinary bw wash	Yes
Recirculation	
Steaming	
Removal of rob	
Hand hosing/high press	
Chemicals for washing	
SPECIAL INSTRUCTIONS	