

CARGO INFORMATION SCHEME

Chemical name	Soyabean - Hardened - AKOMIL M	Last update	juli, 1998
Common names		UN number	
Chemical formular		MFAG number	
Chemical family		MARPOL Annex	
Colour	Light Yellow	Annex II pollution cat.	
Odour	None	IMO Ships type	
Own reaction		Density @ 50°C	0,8899
Reaction with water		Correction factor/°c	0,00068
Reaction other		Petroleum tables used	
Solubility with water		Melting point °c	
Compatibility number		Boiling point °c	
Separate from no. (USCG)		Flash point °c	
Type of toxic test tubes		Auto-ignition point °c	
Toxicity in case of fire		Viscosity	Flowing at 50°C
Fire extinguishing agent		Odour limit ppm	
Special fire procedure		Explos. limits Vol %	
Spill or leak procedure		Vapour press kPa/20	
		Vapour dens.rel to air	

SAFETY AND FIRST AID INFORMATION

Main hazard		Health risk	None
Symptoms if exposed		TLV ppm	
Personal protection aid		Is it a cancer agent	
		Is antidote available	

First aid

Eye contact	
Skin contact	
Inhalation	
Ingestion	

CARGO HANDLING

Coating requirements		Voyage temp. °c	45°C
Wall wash tests		Discharge temp. °c	
Previous cargo(es)		Preheating of tanks	
Fresh water flush		Cirkulation on voyage	
Demiwater flush		Inhibitor certificate	
Condition prior to loading	Clean and dry	Sweeping after disch.	Yes
Remarks		Heat adjacent	
Remarks			

TANKCLEANING - after discharge

Prewash (not marpol)	
Ordinary bw wash	

Recirculation	
Steaming	
Removal of rob	
Hand hosing/high press	
Chemicals for washing	
SPECIAL INSTRUCTIONS	